NSF International

RECOGNIZES

METAL WORK SPA ITALY

AS COMPLYING WITH NSF/ANSI 51. PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE AUTHORIZED TO BEAR THE NSF MARK.







Certification Program Accredited by the Standards Council of Canada

This certificate is the property of NSF International and must be returned upon request. For the most current and complete information, please access NSF's website (www.nsf.org).

1. 2. LA

July 14, 2005 Certificate# 1X000 - 01

Joseph L. Phillips, General Manager Food Equipment

NSF International

RECOGNIZES

METAL WORK SPA Facility: CONCESIO, ITALY

AS COMPLYING WITH NSF/ANSI 51. PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE AUTHORIZED TO BEAR THE NSF MARK.







of Canada

This certificate is the property of NSF International and must be returned upon request. For the most current and complete information place access NSF's website (www.nsf.org).

July 14, 2005 Certificate# 1X001 - 01

Joseph L. Phillips, General Manager Food Equipment



OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 51 - Food Equipment Materials

This is the Official Listing recorded on October 1, 2010.

Metal Work Spa Via Segni 5-7-9 25062 Concesio Italy 39 030 218711

Facility: Concesio, Italy

Trade Designation	Color	Type of food	Maximum Temperature of Use in °F
Nickel Plated Brass Fitting for Food Zone[1]			
2F010(1)	Natural	All food contact types	212°F
2F01C(1)	Natural	All food contact types	212°F
2F020(1)	Natural	All food contact types	212°F
2F030(1)	Natural	All food contact types	212°F
2F040(1)	Natural	All food contact types	212°F
2F050(1)	Natural	All food contact types	212°F
2F060(1)	Natural	All food contact types	212°F
2F110(1)	Natural	All food contact types	212°F
2F310(1)	Natural	All food contact types	212°F
2F31C(1)	Natural	All food contact types	212°F
2F320(1)	Natural	All food contact types	212°F
2F380(1)	Natural	All food contact types	212°F
2F39C(1)	Natural	All food contact types	212°F

[1] (1) is a 2-digit number indicating different dimensions within the fitting.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.