

NSF International

RECOGNIZES

Metal Work SPA

Italy

AS COMPLYING WITH NSF/ANSI 61 AND ALL APPLICABLE REQUIREMENTS.
PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE
AUTHORIZED TO BEAR THE NSF MARK.



ANSI Accredited Program
PRODUCT CERTIFICATION
#0216
Certification Program
Accredited by the
American National
Standards Institute



Certification Program
Accredited by the
Standards Council
of Canada

This certificate is the property of NSF International and must be returned upon request. For the most current and complete information, please access NSF's website (www.nsf.org).

January 7, 2013
Certificate# C0094575 - 01

David Purkiss, General Manager, Water Systems
Water Distribution Systems

NSF International

RECOGNIZES

Metal Work SPA

Facility: Concesio, Italy

AS COMPLYING WITH NSF/ANSI 61 AND ALL APPLICABLE REQUIREMENTS.
PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE
AUTHORIZED TO BEAR THE NSF MARK.



ANSI Accredited Program
PRODUCT CERTIFICATION
#0216

Certification Program
Accredited by the
American National
Standards Institute



Certification Program
Accredited by the
Standards Council
of Canada

This certificate is the property of NSF International and must be returned upon request. For the most current and complete information, please access NSF's website (www.nsf.org).

January 7, 2013
Certificate# C0094576 - 01

David Purkiss, General Manager, Water Systems
Water Distribution Systems



OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on January 7, 2013.

Metal Work SPA
Via Segni 5
25062 Concesio (BS)
Italy
39 030 218711

Facility: Concesio, Italy

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Fittings ^[1]			
2F010 (1)	4 mm - 10 mm	C. HOT	MLTPL
2F01C (1)	4 mm - 10 mm	C. HOT	MLTPL
2F020 (1)	4 mm - 10 mm	C. HOT	MLTPL
2F030 (1)	4 mm - 10 mm	C. HOT	MLTPL
2F040 (1)	4 mm - 10 mm	C. HOT	MLTPL
2F050 (1)	4 mm - 10 mm	C. HOT	MLTPL
2F060 (1)	4 mm - 10 mm	C. HOT	MLTPL
2F110 (1)	4 mm - 10 mm	C. HOT	MLTPL
2F310 (1)	4 mm - 10 mm	C. HOT	MLTPL
2F31C (1)	4 mm - 10 mm	C. HOT	MLTPL
2F320 (1)	4 mm - 10 mm	C. HOT	MLTPL
2F380 (1)	4 mm - 10 mm	C. HOT	MLTPL
2F39C (1)	4 mm - 10 mm	C. HOT	MLTPL

[1] (1) is a 2-digit number indicating different dimensions within the fitting.